

Features

- LED backlit technology with full HD 1920×1080
- Wide view angle: 178°(H)/178°(V)
- User-friendly operation menu
- High reliable components for 7×24 working
- 1 channel HDMI 1.3 input interface
- Three image modes to adapt different environment
- Support software spread-spectrum technology to reduce EMI radiation
- VESA stand bracket



Specification

General

LoudspeakerNA

Dimensions(W*H*D)614×454×226mm

Packing Dimensions(W*H*D)675×547×136mm

Gross Weight5.62 kg

Net Weight4.06 kg

Storage Temperature-20 to 60 ° C (-4 to 140 ° F)

Power Supply100 to 240 VAC, 50/60Hz

Working Temperature0 to 40 ° C (32 to 104 ° F)

Working Humidity10 to 90 %

Storage Humidity5 to 95%

Wall-Mounting ScrewM4

Wall-Mounting Hole100 ×100 mm

Standby Power Consumption<= 0.5 W

Power Consumption<= 40W

Color Of CasingBlack

Casing MaterialPlastic

Interfaces

Hdmi Input1

Vga Input1

Accessories

Power Cord1

Hdmi Cable1

User Manual1

Monitor

BacklightTFT-LED Backlight

Screen Size27 inch

Max Resolution1920 ×1080@60Hz

Brightness250 cd/m²

Contrast4000: 1

Response Time6.5ms

Color16.7M

Active Area 598 × 336 mm

Viewing Angle Horizontal 178°, vertical 178°
