

EZVIZ-CB2

EZVIZ-CB2 | Ezviz Wi-Fi Smart Home Battery Camera

Features

- FHD 1080p Resolution
- IR Night Vision up to 5m (16ft)
- Smart Human Motion Detection
- Two-Way Talk
- Up to 50 Days of Battery Life¹ (2,000 mAh Rechargeable Battery)
- Palm-Sized Camera
- Install with Magnetic Base
- Smart Integration with Google Assistant & Amazon Alexa²
- Supports MicroSD Card (Up to 512GB) & EZVIZ CloudPlay Storage³



- Data from EZVIZ Lab's test results, based on the usage of 5 minutes per day, including the activities of camera detection and auto-triggered recording. Power-saving mode can also be enabled to prolong the battery life. The actual battery life may vary due to environmental factors and the frequency of camera activities.
- 2. Google Assistant is not available in certain languages and countries.
- Local storage cards must be purchased separately. Cloud storage service is only available in certain markets. Please verify availability before making any purchase.
- 4. Data from EZVIZ Lab's testing results under standard conditions, when compared to the EZVIZ BC2 Battery Camera.

Specifications

| Specifications | |
|-----------------------------|---|
| Model | CS-CB2-R100-2D2WF |
| Camera | |
| Image Sensor | 1/2.8" 2-Megapixel Progressive Scan CMOS Sensor |
| Shutter Speed | Self-Adaptive Shutter |
| Lens | 4 mm @ F1.6, view angle: 100°, 85° (Diagonal), 46° (Horizontal) |
| Night Vision | Max. 5 m / 16 ft |
| Minimum Illumination | 0.1 Lux |
| Lens Mount | M12 |
| Day & Night | IR-cut Filter with Auto Switch |
| DNR | 3D DNR |
| Network | |
| Wi-Fi Standard | IEEE802.11b, 802.11g, 802.11n |
| Frequency Range | 2.4 GHz ~ 2.4835 GHz |
| Channel Bandwidth | Supports 20 MHz |
| Security | 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK |
| Transmission Rate | 11b: 11Mbps, 11g: 54Mbps, 11n: 150Mbps |
| Wi-Fi Pairing | AP pairing |
| Protocol | EZVIZ Cloud Proprietary Protocol |
| Interface Protocol | EZVIZ Cloud Proprietary Protocol |
| Wired Network | Does not support |
| Minimum Network Requirement | 1 Mbps |
| Video & Audio | |
| Max. Resolution | 1920 × 1080 |
| Frame Rate | 15fps. Self-Adaptive during Network Transmission |
| Video Compression | H.265 / H.264 |
| Video Bit Rate | Full HD; Hi-Def; Standard |
| Audio Bit Rate | Self-Adaptive |
| Max. Bitrate | 1 Mbps |
| Function | |
| Smart Alarm | Supports smart human motion detection |
| Customized Alert Area | Supports |
| Two-way Talk | Supports |
| | |

| Storage | |
|----------------------|--|
| Local Storage | Supports microSD card (Up to 512 GB) |
| Cloud Storage | Supports EZVIZ CloudPlay storage (subscription required) |
| General | |
| Operating Conditions | -10°C to 45°C (14°F to 113 °F), Humidity 95% or Less (Non- condensing) |
| Power Supply | DC 5V/1A (Purchased Separately) |
| Battery Capacity | 2000 mAh |
| Dimensions | 50.5 × 39.1 × 39.1 mm (1.99 ×1.54 × 1.54 inch) |
| Packaging Dimensions | 126 × 91× 50 mm (4.96 × 3.58 × 1.97 inch) |
| Net Weight | 86.8 g (3.06 oz) |
| With Package | 273g (9.63 oz) |
| In the box | |
| In the box | - CB2 Camera |
| | - Magnetic Base |
| | - Power Cable |
| | - Foam Sticker |
| | - Mounting Metal Plate |
| | - Regulatory Information |
| | - Quick Start Guide |
| Certifications | |
| Certifications | CE / WEEE / RoHS / REACH / UL |